



TANKER/TENDER QUICK SPECS

Department: _____ Date: _____ KGG Rep: _____

CHASSIS

Fire/EMS Package is standard when available.

New Used Year/Make/Model: _____
 GVWR: _____ lbs. Rear Axle Rating: _____ lbs. Cab-To-Axle: _____ in.
 Engine: _____ Transmission: _____
 Color: _____ Gas Diesel 4x2 4x4
 Expected Equipment Load: _____ lbs. Dual Rear Wheel Single Rear Wheel

Comments: _____

1 – BED/BODY

New Existing Aluminum (*structural*) Poly Steel
 Existing/Maximum: Length _____ Width _____ Height _____

Full Side Skirts Gusset Skirts Lightbar Cage Brush Bars Roll Cage (unrated)

Manwells: _____

Walkthrough: _____ Passthrough: _____

Front - Custom Bumper

Aluminum Steel Incorporate Stock Bumper Length _____ in
 Brush Guard Folding Guard Hose Tray _____ Pre-connected

Comments: _____

Rear - Bumper / Tailboard:

Full Skirt Tapered Skirt No Skirt (lights only)
 Full Width Step / Partial Step _____ width Step Length _____ in
 Folding Steps: _____ Sliding Steps: _____

Receiver Tubes: _____ Tow Rings: _____

Compartments & Trays: _____

Crosslays (qty, location, capacity) _____

Graphics:

Rear red/yellow chevron and white side stripe are standard.

Front Chevron _____ Dept. Decals _____
Unit Numbers _____ Gold Leaf _____
Door Lettering: _____

Comments: _____

2 - PUMP & PLUMBING

Portable Pump _____
Module Full Shroud w/ Access Door None
Pump Control Panels: 1 2 Locations: _____
Aux. Fuel Tank Aux. Battery
Pump Primer: Manual Electric

PTO Module: Side Mount Top Mount Sidekick
500 GPM 750 GPM 1000 GPM 1250 GPM

Foam System: Scotty Robwen Aquis 1.5 Hale 2.1
CAF System: KGG Custom Rowe Darley Waterous

Water Gauges: Std _____ Mini _____ Bar _____ Foam Gauges: Std _____ Mini _____

Plumbing: Painted Unpainted (standard)
Stainless Steel unless stated otherwise.

Valves: Recirculate & Whip lines (industrial standard)
Discharges (brass serviceable standard) Substitute Industrial Valves

Discharges: 2.5" _____ 1.5" _____ 1" _____ Draft: 2.5" _____
(1 std) (1 std) (1 std) (1 std)

Additional Discharges: _____

Tank (poly): Water _____ Foam _____
Options: Hose Bed Wall Smooth Sides Reel Blocks Misc. Blocks
Sight Gauge Grooved Hose Bed
2.5" Quick Fill _____ 5" Quick Fill _____
Fireman's Friend _____ in. Other: _____

Hose Reel : Painted _____ Stainless Steel Polished Aluminum
Capacity: _____ Hose Sections: _____ / _____
Booster Hose Niedner Reeltex Other: _____ (red hose standard)
1" Nozzle Included Nozzle Holder Rewind Button Location: _____

Bumper Monitor (remote) Deck Monitor: Remote Manual _____ GPM
Location: _____

Dump Valve 10" _____ Manual/Air/Electric _____

Extension Chute _____ Swivel Chute _____

Ground Sweep Nozzles _____ Locations: _____
Switches: Singular Left/Right Front/Back Independent

Bumper Nozzles _____ Fixed Flow / Adjustable 1" 1.5"

Additional Nozzles: _____

Foam Attachments: Large _____ Small _____

Comments: _____

3 – EMERGENCY LIGHTING & EQUIPMENT

Ground lighting, man well lighting, backup alarm, and reverse camera are standard equipment. Radios & antennas must be supplied by the customer with programming.

Lightbar: Whelen Liberty II 48" with red/clear flashers (includes Cencom controller).

Other (model/colors): _____

Work/Scene Lights:

Rigid D2 Spot/Flood (qty/locations) _____

Rigid 10" Flood (qty/locations) _____

Rigid 20" Driving Light: bumper roof

Push/Pull-Up Lights (qty/locations) _____

Warning Flashers:

Whelen M2 (qty/locations) _____

Whelen M4 (qty/locations) _____

Whelen M6 (qty/locations) _____

Standard layout is 4 front, 4 rear, 2 or 3 each side.

Traffic Advisory Bar Rotator Beacons: Amber/Red Red/Red

DoT Lights: Red & Amber bullet LED clearance/marker lights.

Other: _____

Stop/Turn/Tail: Oval LEDs Whelen M6 Light Pods
(red/red/white) (red/amber/white)

Siren: Whelen 200 Watt (standard). 100 Watt Speakers: 1 2 FedSig Q2 Siren

Battery System: Kussmaul Charger AutoEject Port

Air System: AutoEject Port Onboard Compressor

Master Disconnect Switch: Exclude Radios Other: _____

Winch: Permanent Mount _____ lbs Receiver Mount _____ lbs

Wire Cable / Synthetic Rope _____ ft Snatch Blocks

Inverter 1,000 Watt Other: _____

Additional Cameras: _____

Comments: _____

4 – ADDITIONAL EQUIPMENT

Center Console (standard)

Breathing Air System

SCBA Bottles: Brand _____ Time _____

SCBA Storage

Backseat Cabinet

Drop Tank / Storage

Drop Tank Lift

Ladder Rack

Flashlights

Spanner/Wrench Set

Wheel Chocks

Tools

Ice Chest Mounts

Comments, Questions, Notes:
